





# Haoyangsz com Cameroon

Spanish . Polish . French . Italian . Arabic . Korean . Czech ...

Shenzhen Hao Yang New Energy Co., Ltd. Recreational Facilities ??, ?? 13 followers Li-ion batteries for citycoco/harley scooter, ATV, massage guns, gardening tools, etc.

?? ??? ?? ??(V)72 ?? ??(Ah) 160 ??? ??(mm) 420&#215;350&#215;290 ??, ??, ?? ??????(V) 84.0 ????? 6~10??  
?? ??(A)<=30 ??...

Material system NCM Rated voltage (V) 72 Rated capacity(Ah) 160 Battery size (mm) 420&#215;350&#215;290 length, width and height Charging limit voltage (V) 84.0 Charging time 6 ~ 10 hou  
Charging current (A) <=30 Continuou...

Shenzhen Haoyang New Energy Co., Ltd. Products:Lithium-ion battery pack for electric motorcycle,Lithium-ion battery pack for electric bicycle,li-ion battery pack for citycoco scooter,li ...

Syst&#232;me de mat&#233;riaux Tension nominale (V) 72 Capacit&#233; nominale (Ah) 160 Taille de la batterie (mm) 420 &#215; 350 &#215; 290 Longueur, largeur, hauteur Tension limite de charge (V) 84,0  
Temps de charge 6 &#224; 10 heures Courant de charge (A) <= 30 Continuez...

01. Cell . All of our cells are grade A, we promise never use grade B or C. 02. Protection board . Our batteries all with SEIKO IC BMS, with stable performance.

Material system NCM Rated voltage (V) 48 Rated capacity(Ah) 20 Battery size (mm) 320&#215;130&#215;72 length, width and height Charging limit voltage (V) 54.6 Charging time 6 ~ 10 hou  
Charging current (A) <=5 Continuous discharging current (A) ...

+86-18948210606; t41901752@gmail ; Choose the language; German German . English . Spanish . Polish . French . Italian . Arabic . Korean . Czech . Portuguese ...

+86-18948210606; t41901752@gmail ; Choisir une langue; French French . English . German . Spanish . Polish . Italian . Arabic . Korean . Czech . Portuguese ...

Sistema de materiales NCM Tensi&#243;n nominal (V) 60 Capacidad nominal (Ah) 12 Tama&#241;o de la bater&#237;a (mm) 320 &#215; 135 &#215; 70 de largo y ancho Tensi&#243;n l&#237;mite de carga (V) 67.2 tiempo de carga 6 ~ 10 Hou Corriente de carga (A) <= 5 Continuo D...

?????????; ???????????; ??????????; ???????; ???????; ?????????? ...

sales3@haoyangsz.cn; WhatsApp The Visin. 72V 160Ah. Read more about Kontaktieren Sie uns Produktdetails. Material System NCM . Nennspannung (V) 72 . Nennleistung (Ah) 160. Abmessungen der Batterie (mm) 420 &#215; 350 &#215; 290 L&#228;nge Breite H&#246;he. Ladegrenzspannung (V) 84,0



# Haoyangsz com Cameroon

Ladezeit 6 ~ 10 Hou.

Materi&#225;lov&#253; syst&#233;m NCM Jmenovit&#233; napet&#237; (V) 60 Jmenovit&#225; kapacita (Ah) 15.6 Rozmery akumul&#225;toru (mm) 357 &#215; 120 &#215; 75 D&#233;lka a s&#237;rka Nab&#237;jec&#237; mezn&#237; napet&#237; (V) 67,2 doba nab&#237;jen&#237; 6 ~ 10 Nab&#237;jec&#237; proud (A) <= 3 SILLINE...

Web: <https://www.schrijfexpressie.nl>